

Manufactures Certification Statement

February 25, 2010

RoyalPlast Door Division - Tax Credit Certification

This manufacturers certification statement provides the necessary documentation needed to receive a tax credit for RoyalPlast Doors as provided by the **The American Recovery & Reinvestment Act of 2009**

How to Qualify for the Tax Credit.

1. Purchase and install qualifying products beginning in January 1, 2009 through **December 31, 2010**. The tax credit is for the cost of the product. The amount of your Tax Credit will be 30% of your purchase up to a maximum credit of \$1500.00 USD.
2. Qualifying door products must be installed in the taxpayers principal residence
3. A qualifying product is defined as follows:
 - a. Complies with the mandated U-Value of 0.30 or less.
 - b. Complies with the mandated Solar Heat Gain Coefficient (SHGC) of 0.30 or less.
4. Retain a copy of this certificate and your sales receipt. These documents will provide proof to the IRS that the RoyalPlast door products that you purchased qualify for the tax credit.

Manufacturers Certification Statement

RoyalPlast Doors certifies that all of the doors listed are qualified products as defined by **The American Recovery & Reinvestment Act of 2009**.

I declare that I have examined this certification statement, and to the best of my knowledge and belief, the facts are true, correct and complete.

Andre Touchette – President of RoyalPlast Doors

Qualifying Products:

The thermal performance criteria for the products listed in this Certification Statement has been independently tested under the National Fenestration Rating Council (NFRC)



Standard Glass Package		U-Value	SHGC
7/8" sealed unit, XL- Edge Argon Gas fill 1 surface of Low-E glass	LoE179	Does not qualify	
	LoE179 with grids	Does not qualify	
Optional Glass packages			
	Cardinal 366 Low-E + Ar	0.29	0.19
	Cardinal 366 Low-E + Ar with grids	0.29	0.17
	Cardinal 366 Low-E + Ar for garden door	0.29	0.19
	Cardinal 366 Low-E + Ar with grids for garden door	0.29	0.17



Standard Glass Package		U-Value	SHGC
1" sealed unit, XL-Edge Argon Gas fill 1 surface of Low-E glass	LoE ² 272	Does not qualify	
	LoE ² 272 with grids	0.30	0.29
Optional glass packages			
	Cardinal 366 Low-E + Ar	0.29	0.21
	Cardinal 366 Low-E + Ar with grids	0.29	0.19



Standard Glass Package		U-Value	SHGC
1'' sealed unit, XL-Edge Argon Gas fill 1 surface of Low-E glass	LoE ² 272	0.29	0.26
	LoE ² 272 with grids	0.29	0.23



Standard Glass Package			
1'' sealed unit, XL-Edge Argon Glass fill Lami PVB 0.09	Cardinal 272-Lami, Low-E + Ar	0.28	0.26
Optional glass packages			
	Cardinal 366-Lami Low-E + Ar	0.27	0.17
	Cardinal 366-Lami Low-E + Ar with grids	0.27	0.15



Standard Glass Package		U-Value	SHGC
7/8" sealed unit, XL-Edge Argon Gas fill 1 surface of Low-E glass	LoE ² 272	Does not qualify	
	LoE ² 272 with grids	Does not qualify	
Optional glass packages			
	Cardinal 366, Low-E + Ar	0.28	0.23
	Cardinal 366, Low-E + Ar with grids	0.28	0.19



Standard Glass Package		U-Value	SHGC
1" sealed unit, XL-Edge Argon Gas fill 1 surface of Low-E glass	LoE179	Does not qualify	
	LoE179 with grids	Does not qualify	
Optional glass packages			
	Cardinal 366, Low-E + Ar	0.30	0.20
	Cardinal 366, Low-E + Ar with grids	0.30	0.18



Standard Glass Package		U-Value	SHGC
7/8'' sealed unit, XL-Edge Argon Gas fill 1 surface of Low-E glass	LoE ² 272	Does not qualify	
	LoE ² 272 with grids	0.30	0.30
Optional glass packages			
	Cardinal 366 Low-E + Ar	0.29	0.22
	Cardinal 366 Low-E + Ar with grids	0.29	0.20



Standard Glass Package		U-Value	SHGC
7/8'' sealed unit, INEX Argon Gas fill 1 surface of Low-E glass	HER 75/68	Does not qualify	
	HER 75/68 with grids	Does not qualify	
Optional glass packages			
	Cardinal 366 Low-E + Ar	0.30	0.22
	Cardinal 366 Low-E + Ar with grids	0.30	0.20



Copy of the label that will be applied on the door.